ACI STRUCTURAL JOURNAL

INDEX VOLUME 95, 1998

From a Journal of the American Concrete Institute, January through December 1998

progress through knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

ACI Structural Journal VOLUME 95, 1998

Remove this section and include it with your January through December 1998 Volume 94 issues of the *ACI Structural Journal*.

A

Abdel-Fattah, H.—Residual fracture toughness of concrete exposed to elevated temperature (95-S62) Nov.-Dec. 1998 689

Ahmed, G. N.—Validation and application of a computer model for predicting the thermal response of concrete slabs subjected to fire (95-S42) Sept.-Oct. 1998 480

Ahmed, T.—Bearing capacity of plain and reinforced concrete loaded over a limited area (95-S30) May-June 1998 330

Alkali silica reactions

—Effect of alkali silica reaction expansion and cracking on structural behavior of reinforced concrete beams (95-S44) Fan, S., and Hanson, J. M., Sept.-Oct. 1998 498

Amey, S. L.

—Predicting the service life of concrete marine structures—An environmental methodology (95-S20) Mar.-Apr. 1998 205

—Temperature dependence of compressive strength of conversion-inhibited high-alumina cement concrete (95-S3) Jan.-Feb. 1998 27

Analytical study of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates or fabrics (95-S31) Malek, A. M., and Saadatmanesh, H., May-June 1998 343

Anchors (fasteners)

—Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Cook, R. A., Kunz, J., Fuchs, W., and Konz, R. C., Jan.-Feb. 1998. 9

—Effects of environmental exposure on the performance of cast-in-place and retrofit anchors in concrete (95-S45) Higgins, C. C., and Klingner, R. E., Sept.-Oct. 1998 506

Assa, B.—Prediction of load-displacement curve of high-strength concrete columns under simulated seismic loading (95-S49) Sept.-Oct. 1998 547

Attard, M. M.—Two-parameter stress block for high-strength concrete (95-S28) May-June 1998 305

Axial load behavior of large-scale spirally-reinforced high-strength concrete columns (94-S28)

—Pessiki, S., and Pieroni, A., V. 94 May-June 1997 304

—Disc. by Diniz, S. M. C., July-Aug. 1998 456

B

Beams (supports)

—Bond between normal strength and high-strength concrete (HSC) and reinforcing bars in splices in beams (95-S25) Esfahani, M. R., and Rangan, B. V., May-June 1998. 272

—Deformational behavior of high-performance concrete continuous composite beams reinforced with prestressed prisms and instrumented with Bragg grating fiber optic sensors (95-S6) Nawy, E. G., and Chen, B., Jan.-Feb. 1998 51

—Experimental studies on high-strength concrete deep beams (95-S34) Foster, S. J., and Gilbert, R. I., July-Aug. 1998 382

—High-strength reinforced concrete deep and short beams—Shear design equations in North American and UK practice (95-S29) Tan, K.-H, Kong, F.-K, and Weng, L.-W., May-June 1998 318

Bearing capacity

—Bearing capacity of plain and reinforced concrete loaded over a limited area (95-S30) Burley, E., and Ridgen, S., May-June 1998 330

Bearing capacity of plain and reinforced concrete loaded over a limited area (95-S30) Burley, E., and Ridgen, S., May-June 1998 . 330

Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Cook, R. A., Kunz, J., Fuchs, W., and Konz, R. C., Jan.-Feb. 1998. 9

Behavior of composite bridge decks subjected to static and fatigue loading (95-S23) Youn, S.-G., and Chang, S.-P., May-June 1998 249

Behavior of embedded steel connectors in concrete tilt-up panels (95-S35) Sexsmith, R., and Weiler, G., July-Aug. 1998 400

Behavior of reinforced concrete reservoir wall elements under applied and thermally-induced loadings (95-S22) Vitharana, N. D., Priestley, M. J. N., and Dean, J. A., May-June 1998 238

Benedetti, A.—On the ultrasonic pulse propagation into fire damaged concrete (95-S24) May-June 1998 259

Benmokrane, B.

—Flexural behavior of concrete beams reinforced with deformed fiber reinforced plastic reinforcing rods (95-S60) Nov.-Dec. 1998. 665

—Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements(95-S32) May-June 1998 353

Bennenk, W.—Prestressing with carbon composite rods—A numerical method for developing reusable prestressing systems (95-S5) Jan.-Feb. 1998 43

Benouaich, D.—Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Sept.-Oct. 1998 518

Blackwell, K. G.—Reinforced concrete members subjected to bending and in-plane loading (95-S67) Nov.-Dec. 1998 740

Bond between normal strength and high-strength concrete (HSC) and reinforcing bars in splices in beams (95-S25) Esfahani, M. R., and Rangan, B. V., May-June 1998. 272

Bond properties of carbon fiber composite prestressing strands (95-S26) Domenico, N. G., Mahmoud, Z. I., and Rizkalla, S. H., May-June 1998 281

Bond strength

—Local bond strength of reinforcing bars in normal strength and high-strength concrete (HSC) (95-S10) Esfahani, M. R., and Rangan, B. V., Mar.-Apr. 1998 96

Bridge decks

—Behavior of composite bridge decks subjected to static and fatigue loading (95-S23) Youn, S.-G., and Chang, S.-P., May-June 1998 249

Brøndum-Nielsen, T.—Optimum prestress of tanks with pinned base (95-S1) Jan.-Feb. 1998 3

Burley, E.—Bearing capacity of plain and reinforced concrete loaded over a limited area (95-S30) May-June 1998 330

C

Camp, J. W.—Prestressing with carbon composite rods—A numerical method for developing reusable prestressing systems (95-S5) Jan.-Feb. 1998 43

Chang, S.-P.—Behavior of composite bridge decks subjected to static and fatigue loading (95-S23) May-June 1998. 249

Chen, B.—Deformation behavior of high-performance concrete continuous composite beams reinforced with prestressed prisms and instrumented with Bragg grating fiber optic sensors (95-S6) Jan.-Feb. 1998. 51

Cheok, G. S.—Seismic response of precast concrete frames with hybrid connections (95-S47) Sept.-Oct. 1998 527

Clément, D.—Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Sept.-Oct. 1998 518

Comparative statistical study for the ultimate stress in unbonded post-tensioning (94-S17)

—Ament, J. A., Chakrabarti, P. R., and Putcha, C. S., V. 94 Mar.-Apr. 1997 171

—Disc. by Ghosh, S. K., Mar.-Apr. 1998 217

Concrete panels

—Behavior of embedded steel connectors in concrete tilt-up panels (95-S35) Sexsmith, R., and Weiler, G., July-Aug. 1998 . . . 400

Cook, R. A.—Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Jan.-Feb. 1998 9

Corrosion
—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Popova, S. N., Popov, B. N., White, R. E., and Morris, D., Sept.-Oct. 1998 570
Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Popova, S. N., Popov, B. N., White, R. E., and Morris, D., Sept.-Oct. 1998 570
Cote, P. A.
—Design of slender reinforced concrete walls with openings (95-S38) July-Aug. 1998 420
—Use of headed reinforcement in beam-column joints subjected to earthquake loads (95-S54) Sept.-Oct. 1998 590
Cracking (fracturing)
—Cracking behavior of reinforced high-strength concrete tension ties (95-S57) Lorrain, M., Maurel, O., and Seffo, M., Sept.-Oct. 1998 626
—Moment tensor analysis of acoustic emission for cracking mechanisms in concrete (95-S9) Ohtsu, M., Okamoto, T., and Yuyama, S., Mar.-Apr. 1998 87
Cracking behavior of reinforced high-strength concrete tension ties (95-S57) Lorrain, M., Maurel, O., and Seffo, M., Sept.-Oct. 1998 626
Cyclic loads
—Nonlinear analysis of cyclically loaded reinforced concrete structures (95-S66) Elmorsi, M., Kianoush, M. R., and Tso, W. K., Nov.-Dec. 1998 725
—Performance of existing bridge columns under cyclic loading—Part 1: Experimental results and observed behavior (95-S63) Jaradat, O. A., McLean, D. I., and Marsh, M. L., Nov.-Dec. 1998 695

D

Dancygier, A. N.—Rear face damage of normal and high-strength concrete elements caused by hard projectile impact (95-S27) May-June 1998 291
Darwin, D.
—Effect of reinforcing bar deformation pattern on flexural ductility (95-S4) Jan.-Feb. 1998 37
—Reliability-based strength reduction factor for bond (95-S39) July-Aug. 1998 434
Dean, J. A.—Behavior of reinforced concrete reservoir wall elements under applied and thermally-induced loadings (95-S22) May-June 1998 238
Deformational behavior of high-performance concrete continuous composite beams reinforced with prestressed prisms and instrumented with Bragg grating fiber optic sensors (95-S6) Nawy, E. G., and Chen, B., Jan.-Feb. 1998 51
Design of reinforced concrete flexural sections by unified design approach (95-S56) Munshi, J. A., Sept.-Oct. 1998 618
Design of slender reinforced concrete walls with openings (95-S37) Taylor, C. P., Cote, P. A., and Wallace, J. W., July-Aug. 1998 420
Development of a model for the effective moment of inertia of one-way reinforced concrete elements (95-S40) Fikry, A. M., and Thomas, C., July-Aug. 1998 444
Domenico, N. G.—Bond properties of carbon fiber composite prestressing strands (95-S26) May-June 1998 281
Dowell, R. K.—Pivot hysteresis model for reinforced concrete members (95-S55) Sept.-Oct. 1998 607
Ductility
—Effect of reinforcing bar deformation pattern on flexural ductility (95-S4) Tholen, M. L., and Darwin, D., Jan.-Feb. 1998 37
Durability
—Durability of aramid pretensioned elements in a marine environment (95-S52) Sen, R., Shahawy, M., Rosas, J., and Sukumar, S., Sept.-Oct. 1998 578
—Durability of carbon pretensioned elements in a marine environment (95-S65) Sen, R., Shahawy, M., Sukumar, S., and Rosas, J., Nov.-Dec. 1998 716
Durability of aramid pretensioned elements in a marine environment (95-S52) Sen, R., Shahawy, M., Rosas, J., and Sukumar, S., Sept.-Oct. 1998 578
Durability of carbon pretensioned elements in a marine environment (95-S65) Sen, R., Shahawy, M., Sukumar, S., and Rosas, J., Nov.-Dec. 1998 716
Dynamic analysis of a reinforced concrete shearwall with strain rate effect (95-S43) Shimazaki, K., and Wada, A., Sept.-Oct. 1998 488

E

Effect of alkali silica reaction expansion and cracking on structural behavior of reinforced concrete beams (95-S44) Fan, S., and Hanson, J. M., Sept.-Oct. 1998 498
Effect of high-strength concrete slab on the behavior of slab-column connections (95-S21) Marzouk, H., Eman, M., and Hilal, S., May-June 1998 227
Effect of reinforcing bar deformation pattern on flexural ductility (95-S4) Tholen, M. L., and Darwin, D., Jan.-Feb. 1998 37
Effect of shear in externally prestressed beams (95-S12) Tan, K.-H., and Ng, C.-K., Mar.-Apr. 1998 116
Effect of softening models on behavior of reinforced concrete framed shearwalls (94-S67)
—Mo, Y. L. and Rothert, H., V.94 Nov.-Dec. 1997 730
—Disc. by Hsu, T. T. C., Nov.-Dec. 1998 768
Effects of environmental exposure on the performance of cast-in-place and retrofit anchors in concrete (95-S45) Higgins, C. C., and Klingner, R. E., Sept.-Oct. 1998 506
Ehsani, M. R.—Prediction of failure load of R/C beams strengthened with FRP plate due to stress concentration at the plate end (95-S14) Mar.-Apr. 1998 142
Elmorsi, M.—Nonlinear analysis of cyclically loaded reinforced concrete structures (95-S66) Nov.-Dec. 1998 725
Eman, M.—Effect of high-strength concrete slab on the behavior of slab-column connections (95-S21) May-June 1998 227
Esfahani, M. R.
—Bond between normal strength and high-strength concrete (HSC) and reinforcing bars in splices in beams (95-S25) May-June 1998 272
—Local bond strength of reinforcing bars in normal strength and high-strength concrete (HSC) (95-S10) Mar.-Apr. 1998 96
Estenssoro, L. F.—Technical note on beam elements—Thermal and shrinkage stresses (95-S53) Sept.-Oct. 1998 588
Experimental investigation on stress distribution in Florida bulb-tee concrete girders (95-S69) Tawfiq, K., and Issa, M., Nov.-Dec. 1998 758
Experimental studies on high-strength concrete deep beams (95-S34) Foster, S. J., and Gilbert, R. I., July-Aug. 1998 382

F

Fan, S.—Effect of alkali silica reaction expansion and cracking on structural behavior of reinforced concrete beams (95-S44) Sept.-Oct. 1998 498
Farzam, H.
—Predicting the service life of concrete marine structures—An environmental methodology (95-S20) Mar.-Apr. 1998 205
—Temperature dependence of compressive strength of conversion-inhibited high-alumina cement concrete (95-S3) Jan.-Feb. 1998 27
Fikry, A. M.—Development of a model for the effective moment of inertia of one-way reinforced concrete elements (95-S40) July-Aug. 1998 444
Finite element method
—Modeling punching shear of reinforced concrete slabs using layered finite elements (95-S8) Polak, A., Jan.-Feb. 1998 71
Flexural behavior of concrete beams reinforced with deformed fiber reinforced plastic reinforcing rods (95-S60) Masmoudi, R., Thériault, M., and Benmokrane, B., Nov.-Dec. 1998 665
Flexural behavior of concrete beams with welded wire fabric as shear reinforcement (95-S48) Lin, C.-H., and Perng, S.-M., Sept.-Oct 1998 540
Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements (95-S32) Michaluk, C. R., Rizkalla, S. H., Tadros, G., and Benmokrane, B., May-June 1998 353
Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7) Rodriguez, R., Hamid, A. A., and Larralde, J., Jan.-Feb. 1998 61
Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7)
—Rodriguez, R., Hamid, A. A., and Larralde, J., V. 95 Jan.-Feb. 1998 61
—Disc. by Kariotis, J., Nov.-Dec. 1998 770
Flexural behavior of reinforced concrete beams retrofitted or repaired with slurry infiltrated mat concrete (95-S59) Oluokun, A. F., and Haghayeghi, A. R., Nov.-Dec. 1998 654

Flexural strength
—Flexural behavior of concrete beams with welded wire fabric as shear reinforcement (95-S48) Lin, C.-H., and Perng, S.-M., Sept.-Oct 1998 540
—Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements (95-S32) Michaluk, C. R., Rizkalla, S. H., Tadros, G., and Benmokrane, B., May-June 1998 353
—Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7) Rodriguez, R., Hamid, A. A., and Larralde, J., Jan.-Feb. 1998 61
—Flexural behavior of reinforced concrete beams retrofitted or repaired with slurry infiltrated mat concrete (95-S59) Oluokun, A. F., and Haghayeghi, A. R., Nov.-Dec. 1998 654
Foster, S. J.—Experimental studies on high-strength concrete deep beams (95-S34) July-Aug. 1998 382
Fuchs, W.—Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Jan.-Feb. 1998 9
Full scale testing of precast concrete sandwich panels (94-S32)
—Salmon, D. C., Einea, A., Tadros, M. K., and Culp, T. D., V. 94, July-Aug. 1997 354
—Disc. by LaBelle, J., Nov.-Dec. 1998 768

G

Gilbert, R. I.—Experimental studies on high-strength concrete deep beams (95-S34) July-Aug. 1998 382
Girders
—Experimental investigation on stress distribution in Florida bulb-tee concrete girders (95-S69) Tawfiq, K., and Issa, M., Nov.-Dec. 1998 758
Gupta, A.—High-strength concrete (HSC) structural walls (95-S19) Mar.-Apr. 1998 194
Gupta, P.—Use of headed reinforcement in beam-column joints subjected to earthquake loads (95-S54) Sept.-Oct. 1998 590
Guralnick, S. A.—Plastic collapse, incremental collapse, and shakedown of reinforced concrete structures (95-S16) Mar.-Apr. 1998 163

H

Haghayeghi, A. R.
—Flexural behavior of reinforced concrete beams retrofitted or repaired with slurry infiltrated mat concrete (95-S59) Nov.-Dec. 1998 654
—Prediction of flexural strength of concrete beams retrofitted with slurry infiltrated mat concrete (SIMCON) (95-S50) Sept.-Oct. 1998 558
Hamid, A. A.—Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7) Jan.-Feb. 1998 61
Hamoush, S. A.—Residual fracture toughness of concrete exposed to elevated temperature (95-S62) Nov.-Dec. 1998 689
Hanson, J. M.—Effect of alkali silica reaction expansion and cracking on structural behavior of reinforced concrete beams (95-S44) Sept.-Oct. 1998 498
Higgins, C. C.—Effects of environmental exposure on the performance of cast-in-place and retrofit anchors in concrete (95-S45) Sept.-Oct. 1998 506
High-strength concrete
—High-strength concrete (HSC) structural walls (95-S19) Gupta, A., and Rangan, B. V., Mar.-Apr. 1998 194
High-strength concrete (HSC) structural walls (95-S19) Gupta, A., and Rangan, B. V., Mar.-Apr. 1998 194
High-strength reinforced concrete deep and short beams—Shear design equations in North American and UK practice (95-S29) Tan, K.-H., Kong, F.-K., and Weng, L.-W., May-June 1998 318
Hilal, M. S.—Effect of high-strength concrete slab on the behavior of slab-column connections (95-S21) May-June 1998 227
Hurst, J. P.—Validation and application of a computer model for predicting the thermal response of concrete slabs subjected to fire (95-S42) Sept.-Oct. 1998 480
Hysteresis
—Pivot hysteresis model for reinforced concrete members (95-S55) Dowell, R. K., Seible, F., and Wilson, E. L., Sept.-Oct. 1998 607

I

Idun, E. K.—Reliability-based strength reduction factor for bond (95-S39) July-Aug. 1998 434
Inaudi, D.—Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Sept.-Oct. 1998 518
Influence of the reinforcing bar diameter on the behavior of members in bending and in-plane tension (95-S41) Polak, M. A., and Killen, D. T., Sept.-Oct. 1998 471
Influence of resin and microfiller proportions on strength, density, and setting shrinkage of polyester polymer concrete (95-S15) Krishnamoorthy, S., Mar.-Apr. 1998 153
Interrelationships between reinforcing bar physical properties and seismic demands (95-S17) McDermott, J. F., Mar.-Apr. 1998 175
Issa, M.—Experimental investigation on stress distribution in Florida bulb-tee concrete girders (95-S69) Nov.-Dec. 1998 758

J

Jaradat, O. A.—Performance of existing bridge columns under cyclic loading—Part 1: Experimental results and observed behavior (95-S63) Nov.-Dec. 1998 695
Johnson, D. A.
—Temperature dependence of compressive strength of conversion-inhibited high-alumina cement concrete (95-S3) Jan.-Feb. 1998 27
—Predicting the service life of concrete marine structures—An environmental methodology (95-S20) Mar.-Apr. 1998 205

K

Kerstens, G. M.—Prestressing with carbon composite rods—A numerical method for developing reusable prestressing systems (95-S5) Jan.-Feb. 1998 43
Kianoush, M. R.—Nonlinear analysis of cyclically loaded reinforced concrete structures (95-S66) Nov.-Dec. 1998 725
Killen, D. T.—Influence of the reinforcing bar diameter on the behavior of members in bending and in-plane tension (95-S41) Sept.-Oct. 1998 471
Klingner, R. E.—Effects of environmental exposure on the performance of cast-in-place and retrofit anchors in concrete (95-S45) Sept.-Oct. 1998 506
Kong, F.-K.—High-strength reinforced concrete deep and short beams—Shear design equations in North American and UK practice (95-S29) May-June 1998 318
Kong, P. Y. L.—Shear strength of high-performance concrete beams (95-S61) Nov.-Dec. 1998 677
Konz, R. C.—Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Jan.-Feb. 1998 9
Kreuger, G.—Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Sept.-Oct. 1998 518
Krishnamoorthy, S.—Influence of resin and microfiller proportions on strength, density, and setting shrinkage of polyester polymer concrete (95-S15) Mar.-Apr. 1998 153
Kulkarni, S. M.—Response of reinforced concrete beams at high strain rates (95-S64) Nov.-Dec. 1998 705
Kunnath, S. K.—Seismic response of precast concrete frames with hybrid connections (95-S47) Sept.-Oct. 1998 527
Kuntz, J.—Behavior and design of single adhesive anchors under tensile load in uncracked concrete (95-S2) Jan.-Feb. 1998 9

L

Lakshmi Kanta Rao, V. V.—Influence of resin and microfiller proportions on strength, density, and setting shrinkage of polyester polymer concrete (95-S15) Mar.-Apr. 1998 153
Larralde, J.—Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7) Jan.-Feb. 1998 61
Lee, J.-Y.—Theoretical prediction of shear strength and failure mode of reinforced concrete beams (95-S68) Nov.-Dec. 1998 749
Lemieux, K.—Behavior of embedded steel connectors in concrete tilt-up panels (95-S36) July-Aug. 1998 400
Lin, C.-H.—Flexural behavior of concrete beams with welded wire fabric as shear reinforcement (95-S48) Sept.-Oct 1998 540
Local bond strength of reinforcing bars in normal strength and high-strength concrete (HSC) (95-S10) Esfahani, M. R., and Rangan, B. V., Mar.-Apr. 1998 96

Lorrain, M.—Cracking behavior of reinforced high-strength concrete tension ties (95-S57) Sept.-Oct. 1998 626

M

Mahmoud, Z. I.—Bond properties of carbon fiber composite prestressing strands (95-S26) May-June 1998 281
Malek, A. M.
—Analytical study of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates or fabrics (95-S31) May-June 1998 343
—Prediction of failure load of R/C beams strengthened with FRP plate due to stress concentration at the plate end (95-S14) Mar.-Apr. 1998 142
—Ultimate shear capacity of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates (95-S35) July-Aug. 1998 391
Marsh, M. L.—Performance of existing bridge columns under cyclic loading—Part 1: Experimental results and observed behavior (95-S63) Nov.-Dec. 1998 695
Marzouk, H.—Effect of high-strength concrete slab on the behavior of slab-column connections (95-S21) May-June 1998. 227
Masmoudi, R.—Flexural behavior of concrete beams reinforced with deformed fiber reinforced plastic reinforcing rods (95-S60) Nov.-Dec. 1998 665
Maurel, O.—Cracking behavior of reinforced high-strength concrete tension ties (95-S57) Sept.-Oct. 1998. 626
McConnell, S. W.—Use of headed reinforcement in beam-column joints subjected to earthquake loads (95-S54) Sept.-Oct. 1998 590
McDermott, J. F.—Interrelationships between reinforcing bar physical properties and seismic demands (95-S17) Mar.-Apr. 1998 . . 175
McGinley, M. W.—Residual fracture toughness of concrete exposed to elevated temperature (95-S62) Nov.-Dec. 1998 689
McLean, D. I.—Performance of existing bridge columns under cyclic loading—Part 1: Experimental results and observed behavior (95-S63) Nov.-Dec. 1998. 695
Menétrey, P.—Relationships between flexural and punching failure (95-S37) July-Aug. 1998 412
Michaluk, C. R.—Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements (95-S32) May-June 1998 353
Miltenberger, M. A.
—Predicting the service life of concrete marine structures—An environmental methodology (95-S20) Mar.-Apr. 1998. 205
—Temperature dependence of compressive strength of conversion-inhibited high-alumina cement concrete (95-S3) Jan.-Feb. 1998. . . . 27
Modeling punching shear of reinforced concrete slabs using layered finite elements (95-S8) Polak, A., Jan.-Feb. 1998 71
Modeling punching shear of reinforced concrete slabs using layered finite elements (95-S8)
—Polak, A., V. 95, Jan.-Feb. 1998 71
—Disc. by Menétrey, P., Nov.-Dec. 1998 772
Models
—Development of a model for the effective moment of inertia of one-way reinforced concrete elements (95-S40) Fikry, A. M., and Thomas, C., July-Aug. 1998. 444
—Numerical modeling of the behavior of concrete structures in fire (95-S18) Terro, M. J., Mar.-Apr. 1998. 183
Moment tensor analysis of acoustic emission for cracking mechanisms in concrete (95-S9) Ohtsu, M., Okamoto, T., and Yuyama, S., Mar.-Apr. 1998 87
Morris, D.—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Sept.-Oct. 1998. 570
Mufti, A. A.—Punching shear strength of restrained concrete bridge deck slabs (95-S33) July-Aug. 1998 375
Munshi, J. A.—Design of reinforced concrete flexural sections by unified design approach (95-S56) Sept.-Oct. 1998 618

N

Nawy, E. G.—Deformation behavior of high-performance concrete continuous composite beams reinforced with prestressed prisms and instrumented with Bragg grating fiber optic sensors (95-S6) Jan.-Feb. 1998 . 51
Newhook, J. P.—Punching shear strength of restrained concrete bridge deck slabs (95-S33) July-Aug. 1998 375
Ng, C.-K.—Effect of shear in externally prestressed beams (95-S12) Mar.-Apr. 1998. 116
Nishiyama, M.—Prediction of load-displacement curve of high-strength concrete columns under simulated seismic loading (95-S49) Sept.-Oct. 1998. 547
Nonlinear analysis of cyclically loaded reinforced concrete structures (95-S66) Elmorsi, M., Kianoush, M. R., and Tso, W. K., Nov.-Dec. 1998 725
Nonlinear finite element analysis of planar reinforced concrete members subjected to fire (94-S25)
—Huang, Z., and Platten, A., V. 94 May-June 1997 272
—Disc. by Sullivan, P. J. E., May-June 1998. 366
Numerical modeling of the behavior of concrete structures in fire (95-S18) Terro, M. J., Mar.-Apr. 1998 183

O

Ohtsu, M.—Moment tensor analysis of acoustic emission for cracking mechanisms in concrete (95-S9) Mar.-Apr. 1998 87
Okamoto, T.—Moment tensor analysis of acoustic emission for cracking mechanisms in concrete (95-S9) Mar.-Apr. 1998 87
Oluokun, A. F.
—Flexural behavior of reinforced concrete beams retrofitted or repaired with slurry infiltrated mat concrete (95-S59) Nov.-Dec. 1998 654
—Prediction of flexural strength of concrete beams retrofitted with slurry infiltrated mat concrete (SIMCON) (95-S50) Sept.-Oct. 1998. 558
On the ultrasonic pulse propagation into fire damaged concrete (95-S24) Benedetti, A., May-June 1998 259
Optimum prestress of tanks with pinned base (95-S1) Brøndum-Nielsen, T., Jan.-Feb. 1998 3

P

Performance of existing bridge columns under cyclic loading—Part 1: Experimental results and observed behavior (95-S63) Jaradat, O. A., McLean, D. I., and Marsh, M. L., Nov.-Dec. 1998 695
Perng, S.-M.—Flexural behavior of concrete beams with welded wire fabric as shear reinforcement (95-S48) Sept.-Oct 1998 540
Petrou, M. F.—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Sept.-Oct. 1998 570
Pivot hysteresis model for reinforced concrete members (95-S55) Dowell, R. K., Seible, F., and Wilson, E. L., Sept.-Oct. 1998. 607
Plastic collapse, incremental collapse, and shakedown of reinforced concrete structures (95-S16) Guralnick, S. A., and Yala, A., Mar.-Apr. 1998 163
Polak, M. A.
—Influence of the reinforcing bar diameter on the behavior of members in bending and in-plane tension (95-S41) Sept.-Oct. 1998 471
—Modeling punching shear of reinforced concrete slabs using layered finite elements (95-S8) Jan.-Feb. 1998 71
—Reinforced concrete members subjected to bending and in-plane loading (95-S67) Nov.-Dec. 1998 740
Polymer concrete
—Influence of resin and microfiller proportions on strength, density, and setting shrinkage of polyester polymer concrete (95-S15) Krishnamoorthy, S., Mar.-Apr. 1998. 153
Popov, B. N.—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Sept.-Oct. 1998 570
Popova, S. N.—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Sept.-Oct. 1998 570
Post-tensioned anchorage zones with single straight concentric anchorages (94-S15)
—Sanders, D. H., and Breen, J. E., V. 94, Mar.-Apr. 1997 146
—Disc. by Foster, S. J., and Rogowsky, D. M., Mar.-Apr. 1998 215
Predicting the service life of concrete marine structures—An environmental methodology (95-S20) Amey, S. L., Johnson, D. A., Miltenberger, M. A., and Farzam, H., Mar.-Apr. 1998 205
Prediction of failure load of R/C beams strengthened with FRP plate due to stress concentration at the plate end (95-S14) Malek, A. M., Saadatmanesh, H., and Ehsani, M. R., Mar.-Apr. 1998. 142
Prediction of flexural strength of concrete beams retrofitted with slurry infiltrated mat concrete (SIMCON) (95-S50) Haghayeghi, A. R., and Oluokun, A. F., Sept.-Oct. 1998. 558
Prediction of load-displacement curve of high-strength concrete columns under simulated seismic loading (95-S49) Assa, B., and Nishiyama, M., Sept.-Oct. 1998 547

Prestressed concrete beams
—Effect of shear in externally prestressed beams (95-S12) Tan, K.-H., and Ng, C.-K., Mar.-Apr. 1998 116
Prestressing
—Optimum prestress of tanks with pinned base (95-S1) Brøndum-Nielsen, T., Jan.-Feb. 1998 3
Prestressing steels
—Bond properties of carbon fiber composite prestressing strands (95-S26) Domenico, N. G., Mahmoud, Z. I., and Rizkalla, S. H., May-June 1998 281
Prestressing with carbon composite rods—A numerical method for developing reusable prestressing systems (95-S5) Kerstens, G. M., Bennenk, W., and Camp, J. W., Jan.-Feb. 1998 43
Priestley, M. J. N.—Behavior of reinforced concrete reservoir wall elements under applied and thermally-induced loadings (95-S22) May-June 1998 238
Punching shear strength of restrained concrete bridge deck slabs (95-S33) Mufti, A. A., and Newhook, J. P., July-Aug. 1998 375

R

Rangan, B. V.
—Bond between normal strength and high-strength concrete (HSC) and reinforcing bars in splices in beams (95-S25) May-June 1998 272
—Local bond strength of reinforcing bars in normal strength and high-strength concrete (HSC) (95-S10) Mar.-Apr. 1998 96
—High-strength concrete (HSC) structural walls (95-S19) Mar.-Apr. 1998 194
—Shear strength of high-performance concrete beams (95-S61) Nov.-Dec. 1998 677
Rational evaluation of flexural behavior of weldmesh ferrocement in normal and corrosive environments (95-S58) Xiong, G., and Singh, G., Nov.-Dec. 1998 647
Rear face damage of normal and high-strength concrete elements caused by hard projectile impact (95-S27) Dancygier, A. N., May-June 1998 291
Reinforced concrete
—Analytical study of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates or fabrics (95-S31) Malek, A. M., and Saadatmanesh, H., May-June 1998 343
—Behavior of reinforced concrete reservoir wall elements under applied and thermally-induced loadings (95-S22) Vitharana, N. D., Priestley, M. J. N., and Dean, J. A., May-June 1998 238
—Design of reinforced concrete flexural sections by unified design approach (95-S56) Munshi, J. A., Sept.-Oct. 1998 618
Plastic collapse, incremental collapse, and shakedown of reinforced concrete structures (95-S16) Guralnick, S. A., and Yala, A., Mar.-Apr. 1998 163
—Reinforced concrete members subjected to bending and in-plane loading (95-S67) Polak, M. A. ,and Blackwell, K. G., Nov.-Dec. 1998 740
Reinforcing bars
—Interrelationships between reinforcing bar physical properties and seismic demands (95-S17) McDermott, J. F., Mar.-Apr. 1998 175
Relationships between flexural and punching failure (95-S36) Menétrey, P., July-Aug. 1998 412
Reliability-based strength reduction factor for bond (95-S38) Darwin, D., Idun, E. K., Zuo, J., and Tholen, M. L., July-Aug. 1998 434
Residual fracture toughness of concrete exposed to elevated temperature (95-S62) Hamoush, S. A., Abdel-Fattah, H., and McGinley, M. W., Nov.-Dec. 1998 689
Response of reinforced concrete beams at high strain rates (95-S64) Kulkarni, S. M., and Shah, S. P., Nov.-Dec. 1998 705
Rigden, S.—Bearing capacity of plain and reinforced concrete loaded over a limited area (95-S30) May-June 1998 330
Rizkalla, S. H.
—Bond properties of carbon fiber composite prestressing strands (95-S26) May-June 1998 281
—Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements(95-S32) May-June 1998 353
Rodriguez, M. E.—Simulated seismic load tests on two-story waffle-flat-plate structure rehabilitated by jacketing (95-S13) Mar.-Apr. 1998 129
Rodriguez, R.—Flexural behavior of post-tensioned concrete masonry walls subjected to out-of-plane loads (95-S7) Jan.-Feb. 1998 61
Rosas, J.
—Durability of aramid pretensioned elements in a marine environment (95-S52) Sept.-Oct. 1998 578
—Durability of carbon pretensioned elements in a marine environment (95-S65) Nov.-Dec. 1998 716

S

Saadatmanesh, H.
—Analytical study of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates or fabrics (95-S31) May-June 1998 343
—Prediction of failure load of R/C beams strengthened with FRP plate due to stress concentration at the plate end (95-S14) Mar.-Apr. 1998 142
—Ultimate shear capacity of reinforced concrete beams strengthened with web-bonded fiber reinforced plastic plates (95-S35) July-Aug. 1998 391
Santiago, S. A.—Simulated seismic load tests on two-story waffle-flat-plate structure rehabilitated by jacketing (95-S13) Mar.-Apr. 1998 129
Seffo, M.—Cracking behavior of reinforced high-strength concrete tension ties (95-S57) Sept.-Oct. 1998 626
Seible, F.—Pivot hysteresis model for reinforced concrete members (95-S55) Sept.-Oct. 1998 607
Seismic response of precast concrete frames with hybrid connections (95-S47) Cheok, G. S., Stone, W. C., and Kunnath, S. K., Sept.-Oct. 1998 527
Sen, R.
—Durability of aramid pretensioned elements in a marine environment (95-S52) Sept.-Oct. 1998 578
—Durability of carbon pretensioned elements in a marine environment (95-S65) Nov.-Dec. 1998 716
Sexsmith, R.—Behavior of embedded steel connectors in concrete tilt-up panels (95-S36) July-Aug. 1998 400
Shah, S. P.—Response of reinforced concrete beams at high strain rates (95-S64) Nov.-Dec. 1998 705
Shahawy, M.
—Durability of carbon pretensioned elements in a marine environment (95-S65) Nov.-Dec. 1998 716
—Durability of aramid pretensioned elements in a marine environment (95-S52) Sept.-Oct. 1998 578
Shear strength of high-performance concrete beams (95-S61) Kong, P. Y. L., and Rangan, B. V., Nov.-Dec. 1998 677
Shear strengthening of reinforced concrete beams using epoxy-bonded FRP composites (95-S11) Triantafillou, T. C., Mar.-Apr. 1998 107
Shearwalls
—Dynamic analysis of a reinforced concrete shearwall with strain rate effect (95-S43) Shimazaki, K., and Wada, A., Sept.-Oct. 1998 488
Shimazaki, K.—Dynamic analysis of a reinforced concrete shearwall with strain rate effect (95-S43) Sept.-Oct. 1998 488
Simulated seismic load tests on two-story waffle-flat-plate structure rehabilitated by jacketing (95-S13) Rodriguez, M. E. and Santiago, S. A., Mar.-Apr. 1998 129
Singh, G.—Rational evaluation of flexural behavior of weldmesh ferrocement in normal and corrosive environments (95-S58) Nov.-Dec. 1998 647
Slabs
—Effect of high-strength concrete slab on the behavior of slab-column connections (95-S21) Marzouk, H., Eman, M., and Hilal, S., May-June 1998 227
Stewart, M. G.—Two-parameter stress block for high-strength concrete (95-S28) May-June 1998 305
Stone, W. C.—Seismic response of precast concrete frames with hybrid connections (95-S47) Sept.-Oct. 1998 527
Stress distribution and cracking behavior at anchorage zones in prestressed concrete members (94-S50)
—Oh, B. H., Lim, D. H., and Park, S. S., V. 94, Sept.-Oct. 1997 549
—Disc. by Wollman, G. P., and Breen, J. E., July-Aug. 1998 458
Sukumar, S.
—Durability of aramid pretensioned elements in a marine environment (95-S52) Sept.-Oct. 1998 578
—Durability of carbon pretensioned elements in a marine environment (95-S65) Nov.-Dec. 1998 716

T

Tadros, G.—Flexural behavior of one-way concrete slabs reinforced by fiber reinforced plastic reinforcements (95-S32) May-June 1998 353

Tan, K.-H.
—Effect of shear in externally prestressed beams (95-S12) Mar.-Apr. 1998 116
—High-strength reinforced concrete deep and short beams—Shear design equations in North American and UK practice (95-S29) May-June 1998 318

Tawfiq, K.—Experimental investigation on stress distribution in Florida bulb-tee concrete girders (95-S69) Nov.-Dec. 1998 758

Taylor, C. P.—Design of slender reinforced concrete walls with openings (95-S38) July-Aug. 1998 420

Technical note on beam elements—Thermal and shrinkage stresses (95-S53) Estenssoro, L. F., Sept.-Oct. 1998 588

Temperature dependence of compressive strength of conversion-inhibited high-alumina cement concrete (95-S3) Amey, S. L., Johnson, D. A., Miltenberger, M. A., and Farzam, H., Jan.-Feb. 1998 ... 27

Tension
—Influence of the reinforcing bar diameter on the behavior of members in bending and in-plane tension (95-S41) Polak, M. A., and Killen, D. T., Sept.-Oct. 1998 471

Terro, M. J.—Numerical modeling of the behavior of concrete structures (95-S18) Mar.-Apr. 1998 183

Theoretical prediction of shear strength and failure mode of reinforced concrete beams (95-S68) Watanabe, F., and Lee, J.-Y., Nov.-Dec. 1998 749

Thériault, M.—Flexural behavior of concrete beams reinforced with deformed fiber reinforced plastic reinforcing rods (95-S60) Nov.-Dec. 1998 665

Tholen, M. L.
—Effect of reinforcing bar deformation pattern on flexural ductility (95-S4) Jan.-Feb. 1998 37
—Reliability-based strength reduction factor for bond (95-S39) July-Aug. 1998 434

Thomas, C.—Development of a model for the effective moment of inertia of one-way reinforced concrete elements (95-S40) July-Aug. 1998 444

Triantafillou, T. C.—Shear strengthening of reinforced concrete beams using epoxy-bonded FRP composites (95-S11) Mar.-Apr. 1998 107

Tso, W. K.—Nonlinear analysis of cyclically loaded reinforced concrete structures (95-S66) Nov.-Dec. 1998 725

Two parameter stress block for high-strength concrete (95-S28) Attard, M. M., and Stewart, M. G., May-June 1998 305

U

Ultimate shear capacity of reinforced concrete beams strengthened with web-bonded fiber-reinforced plastic plates (95-S34) Malek, A. M., and Saadatmanesh, H., July-Aug. 1998 391

Ultrasonic tests
—On the ultrasonic pulse propagation into fire damaged concrete (95-S24) Benedetti, A., May-June 1998 259

Unified minimum flexural reinforcement requirements for reinforced and prestressed concrete members (94-S38)
—Freyermuth, C. L., and Aalami, B. O. V. 94, July-Aug. 1997 409
—Disc. by Ospina, C. E., Sept.-Oct. 1998 636

Use of headed reinforcement in beam-column joints subjected to earthquake loads (95-S54) Wallace, J. W., McConnell, S. W., Gupta, P., and Cote, P. A., Sept.-Oct. 1998 590

V

Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Vurpillot, S., Kreuger, G., Benouaich, D., Clément, D., and Inaudi, D., Sept.-Oct. 1998 518

Validation and application of a computer model for predicting the thermal response of concrete slabs subjected to fire (95-S42) Hurst, J. P., and Ahmed, G. N., Sept.-Oct. 1998 480

Vitharana, N. D.—Behavior of reinforced concrete reservoir wall elements under applied and thermally-induced loadings (95-S22) May-June 1998 238

Vurpillot, S.—Vertical deflection of a prestressed concrete bridge obtained using deformation sensors and inclinometer measurements (95-S46) Sept.-Oct. 1998 518

W

Wada, A.—Dynamic analysis of a reinforced concrete shearwall with strain rate effect (95-S43) Sept.-Oct. 1998 488

Wallace, J. W.
—Design of slender reinforced concrete walls with openings (95-S38) July-Aug. 1998 420
—Use of headed reinforcement in beam-column joints subjected to earthquake loads (95-S54) Sept.-Oct. 1998 590

Walls
—Design of slender reinforced concrete walls with openings (95-S37) Taylor, C. P., Cote, P. A., and Wallace, J. W., July-Aug. 1998 420

Watanabe, F.—Theoretical prediction of shear strength and failure mode of reinforced concrete beams (95-S68) Nov.-Dec. 1998 749

Weiler, G.—Behavior of embedded steel connectors in concrete tilt-up panels (95-S36) July-Aug. 1998 400

Weng, L.-W.—High-strength reinforced concrete deep and short beams—Shear design equations in North American and UK practice (95-S29) May-June 1998 318

White, R. E.—Corrosion effects of stabilized backfill on steel reinforcement (95-S51) Sept.-Oct. 1998 570

Wilson, E. L.—Pivot hysteresis model for reinforced concrete members (95-S55) Sept.-Oct. 1998 607

XYZ

Xiong, G.—Rational evaluation of flexural behavior of weldmesh ferrocement in normal and corrosive environments (95-S58) Nov.-Dec. 1998 647

Yala, A.—Plastic collapse, incremental collapse, and shakedown of reinforced concrete structures (95-S16) Mar.-Apr. 1998 163

Youn, S.-G.—Behavior of composite bridge decks subjected to static and fatigue loading (95-S23) May-June 1998 249

Yuyama, S.—Moment tensor analysis of acoustic emission for cracking mechanisms in concrete (95-S9) Mar.-Apr. 1998 87

Zuo, J.—Reliability-based strength reduction factor for bond (95-S39) July-Aug. 1998 434


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0